



BARRE TONDE IN OTTONE (OT58)

Dimensioni mm. D	Peso al metro kg/mt ca.
3	0,060
4	0,106
5	0,166
5,5	0,201
6	0,239
6,5	0,280
7	0,325
8	0,424
9	0,537
10	0,663
11	0,802
12	0,955
13	1,120
14	1,300
15	1,490
16	1,700
17	1,920
18	2,150
19	2,390
20	2,650
23	3,510
24	3,820
26	4,480
28	5,200
30	5,970
32	6,790
36	8,590
40	10,610
42	11,690
45	13,420
50	16,570
60	23,860
65	28,010
75	37,290
80	42,420
85	47,890
95	59,820
100	66,290
110	80,210
120	95,450
140	129,860



BARRE ESAGONALI IN OTTONE (OT58)

Dimensioni mm. A	Peso al metro kg/mt ca.
3	0,066
4	0,117
5	0,183
6	0,263
7	0,358
8	0,468
9	0,592
10	0,731
11	0,884
12	1,050
13	1,240
14	1,430
15	1,640
16	1,870
17	2,110
18	2,370
19	2,640
20	2,920
22	3,540
24	4,210
25	4,570
26	4,940
27	5,330
28	5,730
30	6,580
32	7,480
35	8,950
36	9,470
38	10,550
40	11,690
42	12,890
46	15,470
50	18,270
60	26,310



BARRE QUADRE IN OTTONE (OT58)

Dimensioni mm. A x A	Peso al metro kg/mt ca.
4 x 4	0,135
5 x 5	0,211
6 x 6	0,304
8 x 8	0,540
10 x 10	0,844
12 x 12	1,215
14 x 14	1,654
15 x 15	1,899
16 x 16	2,161
18 x 18	2,735
20 x 20	3,379
22 x 22	4,085
25 x 25	5,275
30 x 30	7,596
35 x 35	10,339
40 x 40	13,504
45 x 45	17,091
50 x 50	21,100
55 x 55	25,531
60 x 60	30,384
70 x 70	41,356
80 x 80	54,016
90 x 90	68,364
100 x 100	84,400
120 x 120	121,536

Su richiesta anche:

- tubi quadri, rettangolari e tondi
- angolari
- barre piatte
- canalini
- profili a 'T'
- lastre